

## North Pole Tree Skirt



8x12 Approximate Finished Size 51.7" Diameter  
6x10 Approximate Finished Size 44.7" Diameter  
150x240 hoop (slightly smaller 6x10) Approximate Finished Size: 41.5" Diameter  
5x7 Approximate Finished Size 34.6" Diameter

# Supply List

Fabrics, Batting, No Show Mesh Cut Away Stabilizer, **SF101** interfacing, Scissors, Thread

**FABRIC CUTTING CHART (in inches) 150 x 240 hoop use 6x10 measurements**

MATERIALS	5X7 HOOP	6X10 HOOPS	8X12 HOOP
<b>INSIDE BLOCK 1 GIFTS 1</b>			
Batting	5.5x8.25	6.5x11	7.75x12.75
Background Fabric	7x9.75	8x12.5	9.25x14.25
<b>INSIDE BLOCK 2 GIFTS 2</b>			
Batting	5.5x8.25	6.5x11	7.75x12.75
Background Fabric	7x9.75	8x12.5	9.25x14.25
<b>INSIDE BLOCK 3 SANTA SLEIGH</b>			
Batting	5.5x8.25	6.5x11	7.75x12.75
Background Fabric	7x9.75	8x12.5	9.25x14.25
<b>INSIDE BLOCK 4 REINDEER SET 1</b>			
Batting	5.5x8.25	6.5x11	7.75x12.75
Background Fabric	7x9.75	8x12.5	9.25x14.25
<b>INSIDE BLOCK 5 REINDEER SET 2</b>			
Batting	5.5x8.25	8x12.5	9.25x14.25
Background Fabric	7x9.75		
<b>INSIDE BLOCK 6 REINDEER SET 3</b>			
Batting	5.5x8.25	8x12.5	9.25x14.25
Right Background Fabric	7x9.75		
<b>INSIDE BLOCK 7 REINDEER SET 4</b>			
Batting	5.5x8.25	8x12.5	9.25x14.25
Background Fabric	7x9.75		
<b>INSIDE BLOCK 8 RUDOPH</b>			
Batting	5.5x8.25	6.5x11	7.75x12.75
Background Fabric	7x9.75	8x12.5	9.25x14.25
<b>INSIDE BLOCK 9</b>			
Batting <b>Cut 7</b>	5.5x8.25	6.5x11	7.75x12.75
Background Fabric <b>Cut 7</b>	7x9.75	8x12.5	9.25x14.25
<b>MAIN BLOCK 1 CHRISTMAS TREE</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Window Fabric	1.75x2	2x2.25	2.25x2.5
House Fabric	1.75x2.5	3.5x3	3.75x3.25
Roof Fabric	3x2.75	3.5x3.5	4x3.75
Outer Trees Fabric	3.25x3.25	3.75x3.75	4.25x4.25
Middle Tree Fabric	2.75x2.25	3.25x2.5	3.75x3
Sign Fabric	2x3.25	2x3.75	2.5x4.25

<b>MATERIALS</b>	<b>5X7 HOOP</b>	<b>6X10 HOOPS</b>	<b>8X12 HOOP</b>
<b>MAIN BLOCK 2 TRAIN STATION</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Roof Fabric	1.75x3.5	2x4	2x4.5
Building Fabric	3.75x4.25	4.75x5	5.25x5.75
Door Fabric	2.25x2	2.5x2.25	2.75x2.5
Train Fabric	2.5x2.75	3x3.5	3.25x3.75
Train Top Fabric	1.5x2.25	1.25x2.5	1.5x2.75
Wheels Fabric	2.25x3	2.5x3.5	2.75x4
<b>MAIN BLOCK 3 TEDDY BEAR</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
House Fabric	3.25x4	4x5	4.25x5.5
Door Fabric	2.25x1.75	2.75x2	3x2.25
Bushes Fabric	1.5x4	1.5x4.75	1.75x5.25
Trees Fabric <b>Cut 2</b>	3.25x2.25	3.75x2.5	4.5x2.75
Hat Fabric	2x3.25	2.25x3.75	2.5x4.25
Bear Fabric	2.25x4	3x4.75	3.5x5.5
Hat Fluff Fabric	2.25x3.5	2.5x4	2.75x4.5
<b>MAIN BLOCK 4 MILK COOKIES</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
House Fabric	3.75x4	4.5x4.75	5x5.5
Cookie Fabric	3x3.25	3.5x3.5	3.75x4.25
Door Fabric	2.25x2	2.5x2	3x2.25
Sign Fabric	2.25x2.75	2.5x3	2.75x3.5
<b>MAIN BLOCK 5 ELF SHCOOL</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Right Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Building Fabric	4.5x3.5	5.5x4.25	6.25x4.75
Door Fabric	2.25x2	2.75x2.25	3x2.5
Bushes Fabric	1.5x1.25	1.75x5.25	1.75x6
<b>MAIN BLOCK 6 QUILT SHOP</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Building Fabric	4.5x4.75	5.75x5.75	6.25x6.5
Roof Fabric	2.25x3.75	2.75x4.5	3x5.25
Door Fabric	2.5x1.75	2.75x2	3.25x2.25
Tree Fabric	2.75x2	3x2	3.5x2.75
Bush Fabric	1.5x2	1.5x2	1.75x2.75
<b>MAIN BLOCK 7 POST OFFICE</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Tree Fabric	3.75x2.25	4.5x2.5	5.25x2.75
Building Fabric	2.75x4.25	3.25x5.25	3.75x5.75

<b>MATERIALS</b>	<b>5X7 HOOP</b>	<b>6X10 HOOPS</b>	<b>8X12 HOOP</b>
<b>MAIN BLOCK 7 CONTINUE.....</b>			
Roof Fabric	2x4.5	2.25x5.5	2.5x6.5
Door/Clock Fabric	4.25x2	5.25x2	5.75x2.5
Roof 2/Sign Fabric	3.25x2.75	3.75x3	4.25x3.5
<b>MAIN BLOCK 8 LIGHTHOUSE</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Building Fabric	1.75x2.75	2x2.75	2.25x3.5
Roof Fabric	1.75x3	2x3.25	2.25x3.75
Lighthouse 1 Fabric	3.25x2.5	3.25x2.75	4.5x3.25
Lighthouse 2 Fabric	3.25x2.25	3.5x2.5	4.25x3
Lighthouse Roof Fabric	2.75x2	2.75x2.25	3.25x2.5
Trees Fabric <b>Cut 2</b>	4x2.5	4.75x2.5	5.5x3.25
Bush Fabric	1.75x2.25	1.75x2.5	2x2.75
<b>MAIN BLOCK 9 HOT COCOA</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Tree Fabric	3.75x2.5	4.5x2.75	5x3.25
Building Fabric	3x3.25	3.5x4	4x4.5
Door Fabric	2.75x1.75	2.75x2	3.25x2.25
Top Fabric	3x3.75	3.5x4.25	4x4.75
Sign Fabric	2x2.5	2x2.75	2.75x3.25
<b>MAIN BLOCK 10 ICE CREAM</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Building Fabric	2.5x3	3x3.5	3.25x3
Roof Fabric	2.75x3.5	4x2.75	3.25x4.75
Whip Sign Fabric	2.25x2.75	2.5x3.25	3x3.75
Cloud Fabric	2x2.75	2.25x3	2.5x3.5
<b>MAIN BLOCK 11 PET SHOP</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Building Fabric	2.5x4.25	3x5	3.25x5.75
Roof Fabric	2x4.75	2x5.75	2.5x6.75
Bone Fabric	2x4.75	2.5x5.75	2.75x6.5
Tree Fabric	3.25x2	3.75x2	4.25x2.5
<b>MAIN BLOCK 12 CHURCH</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Building Fabric	4x3.75	4.5x4.5	5.25x5
Roof Fabric	3.75x4	4.5x4.5	5x5.25
Trees Fabric <b>Cut 2</b>	3.5x2.25	4x2.5	4.5x2.75

MATERIALS	5X7 HOOP	6X10 HOOPS	8X12 HOOP
<b>MAIN BLOCK 13 YARN SHOP</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Building Fabric	2.75x3.5	3.25x4.25	3.75x4.75
Awning Fabric	1.75x2.75	1.5x3	1.75x3.5
Hat Fabric	3x4.25	3.5x5	4x6
Hat Fluff Fabric	3x4.5	3.5x5.5	3.75x6.25
Tree Fabric	2.75x2	3.25x2	3.75x2.5
Bush Fabric	1.75x2.25	1.75x2.5	2x2.75
<b>MAIN BLOCK 14 PIE SHOP</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
Building Fabric	2.5x4.75	3x5.5	3.25x6.5
Door Fabric	2.25x1.75	2.5x1.5	2.75x2
Roof Fabric	2.5x5.75	2.75x7	3.25x8
Sign Fabric	1.75x2.25	2x2.5	2.25x3
Tree Fabric	2.5x2	2.5x2	3.25x2.5
<b>MAIN BLOCK 15 GINGERBREAD</b>			
Batting	6x7.75	6.5x9	8.25x10.75
Background Fabric	7.5x9.25	8x10.5	9.75x12.25
House/Chimney Fabric	4.75x4	5.5x4.5	6x5.5
Roof Fabric	3x4.25	3.5x5.25	3.75x6
Door Fabric	2.75x1.75	3x2	3.75x2.25
<b>OUTER BLOCK 1</b>			
Batting <b>Cut 7</b>	4.25x8.25	5X10	5.5x11.5
Background Fabric <b>Cut 7</b>	5.75x9.75	6.5X11.5	7x13
<b>OUTER BLOCK 2</b>			
Batting <b>Cut 8</b>	4.25x8.25	5X10	5.5x11.5
Background Fabric <b>Cut 8</b>	5.75x9.75	6.5X11.5	7x13
<b>1" DOUBLE FOLD BIAS TAPE</b>			
	39"	48"	56"
<b>BACKING</b>			
	39X39	48x48	56X56

**\*Note: SF101 added to background fabric to prevent puckering when stitching out applique pieces to the blocks.**

**\*Note: Main blocks 1-15 do not need to be placed in the order as shown. They can be stitched together in any order you choose.**

**\*Note: You can use store bought bias tape or make your own. Length provided is the approximate needed to make a bow, you can make your tape to length of your choosing.**

**\*NOTE HUS USERS!!! If you have the 150x240 hoop, be sure to choose the files labeled as such and NOT 6x10. The 150x240 hoop is smaller than the universal 6x10 so you MUST use the correctly labeled files in the HUS folders. For fabric, follow the 6x10 cutting chart.**

**Approximate Fabric needed for project:**

**Batting:** Can use crib to a twin size package

**Fabric:**

5x7: Inner – 1 yard

6x10: Inner – 1.5 yards

8x12: Inner – 2.25 yards

Middle – 1 Yard

Middle – 1.5 yards

Middle – 2 yards

Outer – 1 Yard

Outer – 1.25 yards

Outer – 1.5 yards



## INSIDE BLOCK 1 GIFTS 1


**Step 1:** Hoop a piece of stabilizer.

Please load design file labeled Inside Block 1 Gifts 1.

*Before starting please double check that you have loaded the correct design size.*




**Step 2:** Stitch the placement line for the batting.



**Step 3:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.



**Step 4:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 5:** The next few stitching steps are the decorative stitches for this block.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 6:** Remove the block from the hoop and trim away excess stabilizer.



**Step 7:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



## **INSIDE BLOCK 2 GIFTS 2**


**Step 8:** Hoop a piece of stabilizer.

Please load design file labeled Inside Block 2 Gifts 2.

*Before starting please double check that you have loaded the correct design size.*




**Step 9:** Stitch the placement line for the batting.



**Step 10:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.



**Step 11:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 12:** The next few stitching steps are the decorative stitches for this block.

***Refer to color chart, included with download, for satin and design stitching sequence.***



**Step 13:** Remove the block from the hoop and trim away excess stabilizer.



**Step 14:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block**



### **INSIDE BLOCK 3 SANTA SLEIGH**


**Step 15:** Hoop a piece of stabilizer.

Please load design file labeled Inside Block 3 Santa Sleigh.

*Before starting please double check that you have loaded the correct design size.*



**Step 16:** Stitch the placement line for the batting.



**Step 17:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.



**Step 18:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 19:** The next few stitching steps are the decorative stitches for this block.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 20:** Remove the block from the hoop and trim away excess stabilizer.



**Step 21:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **INSIDE BLOCK 4 REINDEER SET 1**


**Step 22:** Hoop a piece of stabilizer.

Please load design file labeled Inside Block 4 Reindeer set 1.

*Before starting please double check that you have loaded the correct design size.*




**Step 23:** Stitch the placement line for the batting.



**Step 24:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.



**Step 25:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 26:** The next few stitching steps are the decorative stitches for this block.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 27:** Remove the block from the hoop and trim away excess stabilizer.



**Step 28:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



## INSIDE BLOCK 5 REINDEER SET 2


**Step 29:** Hoop a piece of stabilizer.

Please load design file labeled Inside Block 5 Reindeer set 2.

*Before starting please double check that you have loaded the correct design size.*




**Step 30:** Stitch the placement line for the batting.



**Step 31:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.



**Step 32:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 33:** The next few stitching steps are the decorative stitches for this block.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 34:** Remove the block from the hoop and trim away excess stabilizer.



**Step 35:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **INSIDE BLOCK 6 REINDEER SET 3**


**Step 36:** Hoop a piece of stabilizer.

Please load design file labeled Inside Block 6 Reindeer set 3.

*Before starting please double check that you have loaded the correct design size.*




**Step 37:** Stitch the placement line for the batting.



**Step 38:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.



**Step 39:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 40:** The next few stitching steps are the decorative stitches for this block.

***Refer to color chart, included with download, for satin and design stitching sequence.***



**Step 41:** Remove the block from the hoop and trim away excess stabilizer.



**Step 42:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block**



### **INSIDE BLOCK 7 REINDEER SET 4**


**Step 43:** Hoop a piece of stabilizer.

Please load design file labeled Inside Block 7 Reindeer Set 4.

*Before starting please double check that you have loaded the correct design size.*




**Step 44:** Stitch the placement line for the batting.



**Step 45:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.



**Step 46:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 47:** The next few stitching steps are the decorative stitches for this block.

***Refer to color chart, included with download, for satin and design stitching sequence.***



**Step 48:** Remove the block from the hoop and trim away excess stabilizer.



**Step 49:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **INSIDE BLOCK 8 RUDOLPH**


**Step 50:** Hoop a piece of stabilizer.

Please load design file labeled Inside Block 8 Rudolph.

*Before starting please double check that you have loaded the correct design size.*




**Step 51:** Stitch the placement line for the batting.



**Step 52:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.



**Step 53:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 54:** The next few stitching steps are the decorative stitches for this block.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 55:** Remove the block from the hoop and trim away excess stabilizer.



**Step 56:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



## INSIDE BLOCK 9


**Step 57:** Hoop a piece of stabilizer.

Please load design file labeled Inside Block 9.

*Before starting please double check that you have loaded the correct design size.*




**Step 58:** Stitch the placement line for the batting.



**Step 59:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.



**Step 60:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 61:** The next few stitching steps are the decorative stitches for this block.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 62:** Remove the block from the hoop and trim away excess stabilizer.



**Step 63:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**Repeat steps 57-63 six more times for this design.**

**You should have 7 blocks total.**



### **MAIN BLOCK 1 CHRISTMAS TREE**


**Step 64:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 1 Christmas Tree.

*Before starting please double check that you have loaded the correct design size.*



**Step 65:** Stitch the placement line for the batting.




**Step 66:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 67:** Use tack down line of batting for placement of background fabric.


Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 68:** Now we are going to be doing the applique for the block.


The first stitch is the placement line for the window.



**Step 69:** Cover placement line with window fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 70:** Next stitch the placement line for the house.



**Step 71:** Cover placement line with house fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 72:** Next stitch the placement line for the roof.



**Step 73:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 74:** Next stitch the placement line for the outer trees.



**Step 75:** Cover placement line with outer tree fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 76:** Next stitch the placement line for the middle tree.



**Step 77:** Cover placement line with middle tree fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 78:** Next stitch the placement line for the sign.



**Step 79:** Cover placement line with sign fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 80:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

**Refer to color chart, included with download, for satin and design stitching sequence.**



**Step 81:** Remove the block from the hoop and trim away excess stabilizer.



**Step 82:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 2 TRAIN STATION**


**Step 83:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 2 Train Station.

*Before starting please double check that you have loaded the correct design size.*



**Step 84:** Stitch the placement line for the batting.




**Step 85:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.


**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 86:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 87:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the roof.



**Step 88:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 89:** Next stitch the placement line for the building.



**Step 90:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 91:** Next stitch the placement line for the door.



**Step 92:** Cover placement line with door fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 93:** Next stitch the placement line for the train.



**Step 94:** Cover placement line with train fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 95:** Next stitch the placement line for the train top.



**Step 96:** Cover placement line with train top fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 97:** Next stitch the placement line for the wheels.



**Step 98:** Cover placement line with wheels fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 99:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 100:** Remove the block from the hoop and trim away excess stabilizer.



**Step 101:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 3 TEDDY BEAR**


**Step 102:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 3 Teddy Bear.

*Before starting please double check that you have loaded the correct design size.*



**Step 103:** Stitch the placement line for the batting.




**Step 104:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.


**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 105:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 106:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the house.



**Step 107:** Cover placement line with house fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 108:** Next stitch the placement line for the door.



**Step 109:** Cover placement line with door fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 110:** Next stitch the placement line for the bushes.



**Step 111:** Cover placement line with bushes fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 112:** Next stitch the placement line for the trees.



**Step 113:** Cover placement line with tree fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 114:** Next stitch the placement line for the hat.



**Step 115:** Cover placement line with hat fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 116:** Next stitch the placement line for the teddy bear.



**Step 117:** Cover placement line with teddy bear fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 118:** Next stitch the placement line for hat fluff.



**Step 119:** Cover placement line with hat fluff fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 120:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

**Refer to color chart, included with download, for satin and design stitching sequence.**



**Step 121:** Remove the block from the hoop and trim away excess stabilizer.



**Step 122:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 4 MILK COOKIES**


**Step 123:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 4 Milk Cookies.

*Before starting please double check that you have loaded the correct design size.*



**Step 124:** Stitch the placement line for the batting.




**Step 125:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.


**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 126:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 127:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the house.



**Step 128:** Cover placement line with house fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 129:** Next stitch the placement line for the cookie.




**Step 130:** Cover placement line with cookie fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 131:** Next stitch the placement line for the door.




**Step 132:** Cover placement line with door fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 133:** Next stitch the placement line for the sign.



**Step 134:** Cover placement line with sign fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 135:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 136:** Remove the block from the hoop and trim away excess stabilizer.



**Step 137:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 5 ELF SCHOOL**


**Step 138:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 5 Elf School.

*Before starting please double check that you have loaded the correct design size.*



**Step 139:** Stitch the placement line for the batting.




**Step 140:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.


**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 141:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 142:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the building.



**Step 143:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 144:** Next stitch the placement line for the door.



**Step 145:** Cover placement line with door fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 146:** Next stitch the placement line for the bushes.



**Step 147:** Cover placement line with bushes fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 148:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

**Refer to color chart, included with download, for satin and design stitching sequence.**



**Step 149:** Remove the block from the hoop and trim away excess stabilizer.



**Step 150:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 6 QUILT SHOP**


**Step 151:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 6 Quilt Shop.

*Before starting please double check that you have loaded the correct design size.*



**Step 152:** Stitch the placement line for the batting.




**Step 153:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.


**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 154:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 155:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the building.



**Step 156:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 157:** Next stitch the placement line for the roof.



**Step 158:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 159:** Next stitch the placement line for the door.



**Step 160:** Cover placement line with door fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 161:** Next stitch the placement line for the tree.



**Step 162:** Cover placement line with tree fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 163:** Next stitch the placement line for the bush.



**Step 164:** Cover placement line with bush fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 165:** The next few stitching steps are the decorative stitches for this block.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 166:** Remove the block from the hoop and trim away excess stabilizer.



**Step 167:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 7 POST OFFICE**


**Step 168:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 7 Post Office.

*Before starting please double check that you have loaded the correct design size.*



**Step 169:** Stitch the placement line for the batting.




**Step 170:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 171:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 172:** Now we are going to be doing the applique for the block.


The first stitch is the placement line for the tree.



**Step 173:** Cover placement line with tree fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 174:** Next stitch the placement line for the building.



**Step 175:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 176:** Next stitch the placement line for the roof.



**Step 177:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 178:** Next stitch the placement line for the door and clock.



**Step 179:** Cover placement line with door/clock fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 180:** Next stitch the placement line for the additional roof and sign.



**Step 181:** Cover placement line with roof 2/  
sign fabric, making sure all sides are completely  
covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 182:** The next few stitching steps are the  
satin stitches, which will cover all the raw edges  
of the applique and the decorative stitches.

*Refer to color chart, included with download,  
for satin and design stitching sequence.*



**Step 183:** Remove the block from the hoop and  
trim away excess stabilizer.



**Step 184:** Trim the edges of the block so each  
side is 1/2" from the outer stitching line.

**You are now done with this block.**



## MAIN BLOCK 8 LIGHTHOUSE


**Step 185:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 8 Lighthouse.

*Before starting please double check that you have loaded the correct design size.*



**Step 186:** Stitch the placement line for the batting.




**Step 187:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 188:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 189:** Stitch the placement line for the building.



**Step 190:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 191:** Next stitch the placement line for the roof.



**Step 192:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 193:** Next stitch the placement line for lighthouse 1.



**Step 194:** Cover placement line with lighthouse 1 fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 195:** Next stitch the placement line for lighthouse 2.



**Step 196:** Cover placement line with lighthouse 2 fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 197:** Next stitch the placement line for the lighthouse roof.



**Step 198:** Cover placement line with lighthouse roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 199:** Next stitch the placement line for the trees.



**Step 200:** Cover placement line with trees fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 201:** Next stitch the placement line for the bush.



**Step 202:** Cover placement line with bush fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 203:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 204:** Remove the block from the hoop and trim away excess stabilizer.



**Step 205:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 9 HOT COCOA**


**Step 206:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 9 Hot Cocoa.

*Before starting please double check that you have loaded the correct design size.*



**Step 207:** Stitch the placement line for the batting.




**Step 208:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 209:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 210:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the tree.



**Step 211:** Cover placement line with tree fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 212:** Next stitch the placement line for the building.



**Step 213:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 214:** Next stitch the placement line for the door.



**Step 215:** Cover placement line with door fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 216:** Next stitch the placement line for the top.



**Step 217:** Cover placement line with top fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 218:** Next stitch the placement line for the sign.



**Step 219:** Cover placement line with sign fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 220:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

**Refer to color chart, included with download, for satin and design stitching sequence.**



**Step 221:** Remove the block from the hoop and trim away excess stabilizer.



**Step 222:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 10 ICE CREAM**


**Step 223:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 10 Ice Cream.

*Before starting please double check that you have loaded the correct design size.*



**Step 224:** Stitch the placement line for the batting.




**Step 225:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 226:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 227:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the building.



**Step 228:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.




**Step 229:** Next stitch the placement line for the roof.



**Step 230:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 231:** Next stitch the placement line for the whip sign.




**Step 232:** Cover placement line with whip sign fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 233:** Next stitch the placement line for the cloud.



**Step 234:** Cover placement line with cloud fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 235:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 236:** Remove the block from the hoop and trim away excess stabilizer.



**Step 237:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 11 PET SHOP**


**Step 238:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 11 Pet Shop.

*Before starting please double check that you have loaded the correct design size.*



**Step 239:** Stitch the placement line for the batting.




**Step 240:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 241:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 242:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the building.



**Step 243:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 244:** Next stitch the placement line for the roof.



**Step 245:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 246:** Next stitch the placement line for the bone.



**Step 247:** Cover placement line with bone fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 248:** Next stitch the placement line for the tree.



**Step 249:** Cover placement line with tree fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 250:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 251:** Remove the block from the hoop and trim away excess stabilizer.



**Step 252:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



## MAIN BLOCK 12 CHURCH


**Step 253:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 12 Church.

*Before starting please double check that you have loaded the correct design size.*



**Step 254:** Stitch the placement line for the batting.




**Step 255:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 256:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 257:** Now we are going to be doing the applique for the block.


The first stitch is the placement line for the building.



**Step 258:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 259:** Next stitch the placement line for the roof.




**Step 260:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 261:** Next stitch the placement line for the trees.



**Step 262:** Cover placement line with trees fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 263:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 264:** Remove the block from the hoop and trim away excess stabilizer.



**Step 265:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **MAIN BLOCK 13 YARN SHOP**


**Step 266:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 13 Yarn Shop.

*Before starting please double check that you have loaded the correct design size.*



**Step 267:** Stitch the placement line for the batting.




**Step 268:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 269:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 270:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the building.




**Step 271:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 272:** Next stitch the placement line for the awning.



**Step 273:** Cover placement line with awning fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 274:** Next stitch the placement line for the hat.



**Step 275:** Cover placement line with hat fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 276:** Next stitch the placement line for the hat fluff.



**Step 277:** Cover placement line with hat fluff fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 278:** Next stitch the placement line for the tree.



**Step 279:** Cover placement line with tree fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 280:** Next stitch the placement line for the bush.



**Step 281:** Cover placement line with bush fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 282:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 283:** Remove the block from the hoop and trim away excess stabilizer.



**Step 284:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



## MAIN BLOCK 14 PIE SHOP


**Step 285:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 14 Pie Shop.

*Before starting please double check that you have loaded the correct design size.*



**Step 286:** Stitch the placement line for the batting.




**Step 287:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 288:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 289:** Now we are going to be doing the applique for the block.


The first stitch is the placement line for the building.



**Step 290:** Cover placement line with building fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 291:** Next stitch the placement line for the door.



**Step 292:** Cover placement line with door fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.




**Step 293:** Next stitch the placement line for the roof.




**Step 294:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 295:** Next stitch the placement line for the sign.



**Step 296:** Cover placement line with sign fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 297:** Next stitch the placement line for the tree.



**Step 298:** Cover placement line with tree fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 299:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 300:** Remove the block from the hoop and trim away excess stabilizer.



**Step 301:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

You are now done with this block.



### MAIN BLOCK 15 GINGERBREAD


**Step 302:** Hoop a piece of stabilizer.

Please load design file labeled Main Block 15 Gingerbread.

*Before starting please double check that you have loaded the correct design size.*



**Step 303:** Stitch the placement line for the batting.




**Step 304:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

To prevent puckering fuse SF101 to the back of the Background fabric.



**Step 305:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 306:** Now we are going to be doing the applique for the block.

The first stitch is the placement line for the house and chimney.



**Step 307:** Cover placement line with house/ chimney fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 308:** Next stitch the placement line for the roof.



**Step 309:** Cover placement line with roof fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 310:** Next stitch the placement line for the door.



**Step 311:** Cover placement line with door fabric, making sure all sides are completely covered.

Stitch tack down line.

Trim fabric around the stitches as shown.



**Step 312:** The next few stitching steps are the satin stitches, which will cover all the raw edges of the applique and the decorative stitches.

**Refer to color chart, included with download, for satin and design stitching sequence.**



**Step 313:** Remove the block from the hoop and trim away excess stabilizer.



**Step 314:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

**You are now done with this block.**



### **OUTER BLOCK 1**


**Step 315:** Hoop a piece of stabilizer.

Please load design file labeled Outer Block 1.

*Before starting please double check that you have loaded the correct design size.*



**Step 316:** Stitch the placement line for the batting.




**Step 317:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 318:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.



**Step 319:** The next few stitching steps are the decorative stitches for this block.

**Refer to color chart, included with download, for satin and design stitching sequence.**



**Step 320:** Remove the block from the hoop and trim away excess stabilizer.



**Step 321:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

Repeat this design 6 more times following steps 315-321.



**Step 322:** You should now have a total of 7 Outer Block 1 designs.



## OUTER BLOCK 2


**Step 323:** Hoop a piece of stabilizer.

Please load design file labeled Outer Block 2.

*Before starting please double check that you have loaded the correct design size.*



**Step 324:** Stitch the placement line for the batting.




**Step 325:** Cover placement line with batting, making sure all sides are completely covered.

Stitch tack down line.

Trim the batting as shown.

**To prevent puckering fuse SF101 to the back of the Background fabric.**



**Step 326:** Use tack down line of batting for placement of background fabric.

Cover tack down line with background fabric, making sure all sides are covered.

Stitch tack down line.




**Step 327:** The next few stitching steps are the decorative stitches for this block.

*Refer to color chart, included with download, for satin and design stitching sequence.*



**Step 328:** Remove the block from the hoop and trim away excess stabilizer.



**Step 329:** Trim the edges of the block so each side is 1/2" from the outer stitching line.

Repeat this design 7 more times following steps 323-329.



**Step 330:** You should now have a total of 8 Outer Block 2 designs.



### TREE SKIRT CONSTRUCTION

**Step 331:** You now have all the blocks stitched. Lay out all the blocks in the table runner.

**MAKE SURE THEY ARE LAID OUT SO THEY LOOK LIKE THIS PICTURE, WITH EACH BLOCK LAYING THE RIGHT DIRECITON.**



**WE WILL BE SEWING THE TREE SKIRT TO TOGETHER IN WEDGES, STARTING FROM ONE SIDE OF THE OPENING AND CONTINUING AROUND TO THER OTHER SIDE.**

**Step 332:** Lay out the first wedge as shown.




**Step 333:** Flip the main block up, right side down on inner block.

Line up the outer stitch line and pin in place.



**Step 334:** Sew the blocks together, stitching just barely inside the outer most stitch line on the block.



**Step 335:** Press open seam.



**Step 336:** Now flip the outer block, right side down, onto the main block as shown.

Line up the outer stitch line and pin in place.

Sew blocks together.



**Step 337:** Press open seam and set aside.



**Step 338:** Grab the next wedge in the tree skirt and lay it out as shown.

The process is the same for sewing together these blocks.



**Step 339:** Flip the main block up, right side down on inner block.

Line up the outer stitch line and pin in place.

Sew blocks together.



**Step 340:** Press open seam.



**Step 341:** Now flip the outer block, right side down, onto the main block as shown.

Line up the outer stitch line and pin in place.

Sew blocks together.



**Step 342:** Press open seam.



**Step 343:** Now we will sew together the two wedges.



**Step 344:** Flip the wedge with the snowmen on top of the wedge with the gift, right side down.

Line up the outer stitch line, on the right, and pin in place.


Sew wedges together and press open seam.



**Step 345:** Repeat steps 332-344 until all the blocks are sewn into wedges and all wedges sewn together to form the top of the tree skirt.

You tree skirt should look as shown.

***Be sure there is an opening to the tree skirt.***



**Step 346:** Cut your backing according the sizing in the supply list.



**Step 347:** Lay the backing fabric so the right side is up. Center the tree skirt on the backing, right side down, and make sure there is an opening in the backing and hole in the middle as shown.

Pin in place along the edges and along the center



**Step 348:** Sew the tree skirt to the backing, sewing just to the inside of the outer most stitch line.

Start at the top of one side of the opening, all the way around the bottom to the top of the other side of the tree skirt opening.

The only opening should be in the middle small circle.



**Step 349:** Once the tree skirt is sewn to the backing trim the excess backing fabric as shown (should mirror tree skirt).

*\*Be sure to clip along the curved edges of seam allowance to allow the edge of the skirt to lay flat once turned right side out.*



**Step 350:** Turn the tree skirt right side out through the center opening.

Make sure to push out the corners and round out the outer blocks.

Press the seams flat.



**Step 351:** Top stitch the edge of the tree skirt, starting at one side of the opening, all the way around to the other side.



**Step 352:** Use the stitch in the ditch method and sew each wedge's seam line to the backing.



**Step 353:** Fold bias tape in half and center on the middle of the tree skirt.

Pin or clip the bias tape to the tree skirt.



**Step 354:** Sew the bias tape, about 1/8" from the bottom of the bias tape, to the tree skirt.



**CONGRATULATIONS YOUR TREE SKIRT IS COMPLETE!!!!**

